

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2376569	computer near5 address near5 computer table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:04
L2	418	1 and partion\$3 and generat\$3 and access\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:06
L3	0	2 and select\$3 and decompress\$3 and campar\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:07
L4	7	2 and select\$3 and decompress\$3 and compar\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:07
L5	1	(11/493160).APP.	USPAT; USOCR	OR	ON	2008/01/02 11:08

L6	1087417	cpmputer address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:11
L7	2788226	computer address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:12
L8	4	1 and partion\$3 near5 (upper and lower)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:12
L9	997313	1 and partion\$3 near5 upper bits	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:13
L10	104284	search\$3 near5 computer address near5 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:13

L11	267	10 and (generat\$3 near5 (search near3 index))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:14
L12	2	11 and access\$3 near5 (primary adj2 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:14
L13	52	11 and access\$3 near5 (address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:15
L14	2	11 and access\$3 near5 (secondary near5 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:15
L15	52	11 and access\$3 near5 (primarynear5 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:15

L16	2	11 and access\$3 near5 (primary near5 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:15
L17	64	11 and access\$3 near5 (port number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:16
L18	3351	(709/238).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 11:30
L19	5894	(709/238,245,247).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 11:30
L20	6	19 and 11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:30

L21	4	19 and 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:31
L22	2	19 and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:31
L23	0	(partitioning same bit same computer address).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:36
L24	1	(partitioning same bit same computer address).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:36
L25	0	(generating same search index same compressing)".clm"	US-PGPUB	ADJ	ON	2008/01/02 11:37
L26	2	(generating same search index same compressing).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:37
L27	1	(generating same search index same compressing same upper and lower).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:38
L28	1	(accessing same primary address same search index same port number).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:38
L29	1	(comparing same selecting same decompressing same comparing same primary address same secondary address)	US-PGPUB	ADJ	ON	2008/01/02 11:39

L30	0	high-speed and mac adj address and search adj "engine.clm"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/01/02 11:39
L31	1	(comparing same selecting same decompressing same comparing same primary address same secondary address).clm.	US-PGPUB	ADJ	ON	2008/01/02 11:39
S1	1221149	high-speed adj mac adj address adj search adj engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/10 16:45
S2	1	high-speed adj mac adj address adj search adj engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/10 16:45
S3	1	high-speed adj mac adj address adj search adj engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/10 16:45

S4	0	high-speed and mac adj address and search adj engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/24 16:52
S5	68	high-speed and mac adj address and search adj engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/11 07:38
S6	2	("6697873").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/11 08:16
S7	9	("5740171" "5917821" "6009423" "6192051" "6295299").PN. OR ("6697873").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/11 08:02
S8	4	("6697873").URPN.	USPAT	OR	OFF	2007/07/11 08:01
S9	0	("macaddresssearchengine").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/11 08:16

S10	5	mac address search engine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:17
S11	0	(partition\$3 with bit adj size).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:57
S12	0	(partition\$3 and bit adj size).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:06
S13	0	(partition\$3 and computer address).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:58
S14	66315	(partition\$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:58

S15	1239	S14 and (computer.ti.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:58
S16	0	S15 and (bit size).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:59
S17	3109	(709/238).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/11 15:00
S18	2	S15 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/11 15:01
S19	2	("6697873").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/11 15:01
S20	4	("6697873").URPN.	USPAT	OR	OFF	2007/07/11 15:02

S21	9	("5740171" "5917821" "6009423" "6192051" "6295299").PN. OR ("6697873").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/11 15:02
S22	0	partition\$3 MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:17
S23	16	partition\$3 near4 MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:22
S24	0	(partition\$3 near5 MAC address).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:22
S25	1	(partition\$3 near5 MAC address).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:23
S26	9	((("60009423") or ("5740171") or ("5917821") or ("6192051") or ("6295299")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 08:25

S27	11	((("6009423") or ("5740171") or ("5917821") or ("6192051") or ("6295299")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 08:37
S28	79049	(compression near4 MAC address).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 08:38
S29	0	(compression near4 MAC address).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:38
S30	0	(compress\$3 near4 MAC address).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 08:38
S31	5	(compress\$3 near4 MAC address).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/12 14:28

S32	93	(("20020196761" or ("20030031190" or ("20030236916" or ("20040205234" or ("20050034115" or ("20050036471" or ("20050086256" or ("20050163121" or ("20060002386" or ("20060064414" or ("20060129565" or ("20060146835" or ("20060149844" or ("20060198369" or ("20060212649" or ("20070008964" or ("20070019574" or ("20070082621" or ("20070153698" or ("4334289" or ("4617427" or ("4831543" or ("4881164" or ("5261071" or ("5301288" or ("5526519" or ("5572528" or ("5640530" or ("5809494" or ("5848257" or ("5881379" or ("5897637" or ("5933820" or ("5974421" or ("6067547" or ("6137797" or ("6202169" or ("6209020" or ("6212525" or ("6212525" or ("6219678" or ("6219678" or ("6233666" or ("6249884" or ("6353448" or ("6381324" or ("6539373" or ("6697873" or ("6725253" or ("7120930"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 14:29
S33	22	"643567"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/07/24 16:52

S34	2	("0643567").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 16:53
S35	56124	("709").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 16:53
S36	3302	S35 and (mac address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:19
S37	484	S35 and (mac address) and hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:20
S38	2	S35 and (mac address) and (hash adj family)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:20

S39	484	S35 and (mac address) and (hash)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:20
S40	5	(mac search engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 18:21
S41	2040	(709/245).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 10:06
S42	685	(709/247).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 10:06

1/ 2/ 2008 11:40:52 AM

C:\Documents and Settings\ndonabed\My Documents\EAST\Workspaces\10750445.wsp